


CCTV SMPS - UNITE SERIES SMPS

12V 2A



FYUS-22 (Unite Series Power Supply) Comes with Block Terminal. It delivers 2A current (Max) via output terminal.

Protections:

It Includes Various Protections such as Overload, overvoltage, Over Current, Short Circuit, and Over Temperature Protection.

Aesthetic:

Unique and Compact Design.

Strong and Durable:

Made from High grade ABS plastic.

Led Indicator:

Led indicator for the functional status.


Certifications:

BIS Approved.


Technical Specifications

Feature	Specification
AC Input Voltage	150~265VAC
DC Output voltage	12VDC
Rated Power	24W
Ripple & Noise (max.)	70mV(max)
Voltage Adj. Range	NA
Device	Primary-Side Regulation CV/CC Switcher for Adapters and Chargers
Device(frequency)	85KHz
VDS Voltage	600V(max)
Line Regulations	±1%
Load Regulations	±5%
SCP	Output short-circuit protection
OPP, OCP	Over Current Protection
OVP	Over Voltage Protection
line UV	Line brown-in/out protection
OV	Line overvoltage shutdown extends line surge withstand
OTP	Accurate thermal shutdown, hysteretic or latching
Efficiency(Typ.)	80%
Frequency Range	47~63HZ
Storage Temperature	0-50°C

Product View



Packaging View



Applications

